

1  
2  
3  
4  
5  
6  
7                   **UNITED STATES DISTRICT COURT**  
8                   **DISTRICT OF NEVADA**

9  
10                  BOARD OF TRUSTEES OF THE  
11                  PLUMBERS AND PIPEFITTERS UNION  
12                  LOCAL 525 HEALTH AND WELFARE  
13                  TRUST AND PLAN,

14                  Plaintiff(s),  
15                  v.  
16                  STRONG MAN SERVICES, INC.,  
17                  Defendant(s).

Case No.: 2:17-cv-02684-RFB-NJK

18                   **ORDER**

19                  Defendant's answer was due on March 6, 2018, Docket No. 6, but Defendant has not  
20                  appeared in this case. After the Court ordered a status report, Plaintiff represented that it "granted  
21                  Strong Man an open ended extension to answer the complaint." Docket No. 8 at 2. It is not within  
22                  the province of the parties to delay proceedings by months without Court approval. *See* Local  
23                  Rule 7-1(b). No such approval was sought in this case. The Court expects Plaintiff moving  
24                  forward to seek appropriate relief from the Court.

25                  Plaintiff's recent filing indicates that the parties are attempting to resolve this dispute  
26                  themselves. *See* Docket No. 8 at 2. The Court hereby **EXTENDS** the deadline for Defendant to  
27                  respond to the complaint to August 20, 2018. If a further extension is necessary, the parties shall  
28                  file a proper request at that time for the Court's review.<sup>1</sup>

---

<sup>1</sup> The Court expresses no opinion herein as to whether that request will be granted.

1 Plaintiff shall promptly serve a copy of this order on Defendant, and shall file a proof of  
2 service by July 12, 2018.

3 IT IS SO ORDERED.

4 Dated: July 9, 2018

5   
6 Nancy J. Koppe  
7 United States Magistrate Judge

10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28